

ORDINANCE NO. 136-2011

AN ORDINANCE OF CENTRE TOWNSHIP, BERKS COUNTY, PENNSYLVANIA, MAKING A PORTION OF GRIMM AVENUE A ONE WAY ROAD

WHEREAS, in the judgment of the Board of Supervisors of the Township of Centre, Berks County, Pennsylvania, it is necessary and desirable to make a certain portion of road known as Grimm Avenue, at the point where Grimm Avenue meets Railroad Road heading west a distance of approximately fifty feet (50'), a one way road.

NOW, THEREFORE, BE IT ENACTED by the Board of Supervisors of the Township of Centre, Berks County, Pennsylvania, and IT IS HEREBY ENACTED AND ORDAINED by the authority of the same as follows:

Section 1. A portion of a certain road known as Grimm Avenue, at the point where Grimm Road meets Railroad Road heading west a distance of approximately 50 feet (50'), will become a one way road, as more fully depicted on Exhibit "A" attached hereto and incorporated herein by reference thereto.

Section 2. No left turns shall be permitted from Railroad Road onto Grimm Avenue.

Section 3. If any sentence, clause, section or part of this Ordinance is for any reason found to be unconstitutional, illegal or invalid, such unconstitutionality, illegality or invalidity shall not affect or impair any of the remaining provisions, sentences, clauses, sections or parts of this Ordinance. It is hereby declared as the intent of the Board of Supervisors of the Township of Centre that this Ordinance would have been adopted had such unconstitutional, illegal or invalid sentence, clause, section or part thereof not been included herein.

Section 4. All ordinances or parts of ordinances conflicting with the provisions of this Ordinance are hereby repealed insofar as they are inconsistent with this Ordinance.

Section 5. This Ordinance shall become effective in accordance with the law.

DULY ENACTED AND ORDAINED this 9th day of May, 2011.

TOWNSHIP OF CENTRE
BOARD OF SUPERVISORS


Bary L. I.

Al W.

L. A. Schlysser

Attest: Sharon M.
Secretary



EXHIBIT "A"



SYMBOL LEGEND

1" = 50'

Symbol	Legend
(Square with diagonal lines)	Proposed Lane
(Dashed line)	Proposed Lane
(Solid line)	Proposed Lane
(Dotted line)	Proposed Lane
(Arrow)	Proposed Lane
(Circle with 'A')	Proposed Lane
(Circle with 'B')	Proposed Lane
(Circle with 'C')	Proposed Lane
(Circle with 'D')	Proposed Lane
(Circle with 'E')	Proposed Lane
(Circle with 'F')	Proposed Lane
(Circle with 'G')	Proposed Lane
(Circle with 'H')	Proposed Lane
(Circle with 'I')	Proposed Lane
(Circle with 'J')	Proposed Lane
(Circle with 'K')	Proposed Lane
(Circle with 'L')	Proposed Lane
(Circle with 'M')	Proposed Lane
(Circle with 'N')	Proposed Lane
(Circle with 'O')	Proposed Lane
(Circle with 'P')	Proposed Lane
(Circle with 'Q')	Proposed Lane
(Circle with 'R')	Proposed Lane
(Circle with 'S')	Proposed Lane
(Circle with 'T')	Proposed Lane
(Circle with 'U')	Proposed Lane
(Circle with 'V')	Proposed Lane
(Circle with 'W')	Proposed Lane
(Circle with 'X')	Proposed Lane
(Circle with 'Y')	Proposed Lane
(Circle with 'Z')	Proposed Lane



WORK ZONE TRAFFIC CONTROL (WZTC) NOTES

- The Contractor shall maintain a minimum 200-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 100-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 50-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 25-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 10-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 5-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 2-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 1-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.5-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.2-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.1-foot advance warning of the work zone.

ESSENTIAL NOTES

- The Contractor shall maintain a minimum 200-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 100-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 50-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 25-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 10-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 5-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 2-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 1-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.5-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.2-foot advance warning of the work zone.
- The Contractor shall maintain a minimum 0.1-foot advance warning of the work zone.

GIS DATA NOTE

The GIS data was obtained from the City of Philadelphia and is for informational purposes only. It is not to be used for any other purpose without the express written consent of the City of Philadelphia.



Vision Engineering Inc.

CIVIL, SITE & SURVEYING
 155 E. FRONT ST. - 4TH FL. PHILADELPHIA, PA 19102
 TEL: (717) 625-1930 FAX: (717) 625-1931

PROJECT TITLE: GRIMM AVENUE

SHEET TITLE: TRAFFIC SIGN AND STRIPING PLAN (ONE WAY CIRCULATION)

DATE:	12/12/2010
DESIGNED BY:	J. J. JONES
CHECKED BY:	J. J. JONES
APPROVED BY:	J. J. JONES
SCALE:	1" = 50'
PROJECT NO.:	100000000
CLIENT:	PHILADELPHIA DEPARTMENT OF PUBLIC WORKS
LOCATION:	GRIMM AVENUE

DATE:	12/12/2010
DESIGNED BY:	J. J. JONES
CHECKED BY:	J. J. JONES
APPROVED BY:	J. J. JONES
SCALE:	1" = 50'
PROJECT NO.:	100000000
CLIENT:	PHILADELPHIA DEPARTMENT OF PUBLIC WORKS
LOCATION:	GRIMM AVENUE